



STAINLESS STEEL CASEWORK

Common Features

- Adjustable shelf
- Removable back
- Solid hinged door (units with doors)
- Lock options available

Made To Order Counter Cabinetry





STAINLESS STEEL CASEWORK

TABLE OF CONTENTS

| | |
|---|----------|
| Product Specification Guide/Drawer Dimension Table | 1 |
|---|----------|

Technical Product Data

| | |
|--------------------------|---|
| Part 1 - General | 2 |
| Part 2 - Products | 3 |
| Part 3 - Execution | 5 |
| Metric Conversion Tables | 7 |

Standard Cabinet Construction Details

| | |
|-----------------------|----|
| Base Cabinet | 8 |
| Wall Cabinet | 9 |
| Tall Storage Cabinets | 10 |

Standard Cabinet Configurations

| | |
|-----------------------|----|
| Base Cabinet | 11 |
| Wall Cabinet | 23 |
| Tall Storage Cabinets | 30 |

Casework Accessories

| | |
|--|----|
| Base Cabinet Scribes & Fillers | 35 |
| Base Cabinet Knee Space Components | 38 |
| Wall Cabinet Scribes & Fillers | 40 |
| Tall Storage Cabinet Scribes & Fillers | 41 |
| Sloped Tops for Wall and Tall Storage Cabinets | 44 |





STAINLESS STEEL CASEWORK

PRODUCT SPECIFICATION GUIDE

PRODUCT NUMBER CODE

Example: BA362235

Cabinet Type _____ **B**
 B = Base Units
 W = Wall Units
 T = Tall Units

Cabinet Configuration _____ **A**

Cabinet Width _____ **36**
 (nominal)

Cabinet Depth _____ **22**
 (nominal)

Cabinet Height _____ **35**
 (nominal)

Door Swing _____ **L**
 L = Left Hand
 R = Right Hand

Lock _____ **LK**
 (add only when required)

DRAWER DIMENSION TABLE

| | Sitting Height Cabinets | Standing Height Cabinets |
|----------------------|-------------------------|--------------------------|
| 1/8 high drawer | *2 3/4" | *3 1/2" deep |
| 1/4 high drawer | *5 1/2" | *7" deep |
| 1/2 high/file drawer | *11" deep | *14" deep |

*Nominal drawer face height—deduct 1.125" for interior drawer pan depth





STAINLESS STEEL CASEWORK

TECHNICAL PRODUCT DATA

Part 1 – General

1.1 SCOPE OF WORK

Includes all factory fabricated stainless steel casework as required by the project drawings.

1.2 TYPICAL INCLUSIONS

- A. Base and wall units.
- B. Tall storage units.
- C. Recessed units.
- D. Pass through units.
- E. Knee space rails.
- F. Miscellaneous fillers and scribes.

1.3 TYPICAL EXCLUSIONS

- A. Vinyl or rubber base.
- B. Wall framing and in-wall backing for anchorage support.
- C. Electrical.
- D. Mechanical.
- E. Work not directly associated with the stainless steel casework.

1.4 MATERIALS

- A. Cabinetry fabricated from T304 stainless steel sheet, (T316 stainless steel available at additional cost) conforming to ASTM A240. All exposed surfaces polished to a No. 4 brushed satin finish. (150/180 grit.)
- B. Glass for glazed hinged and sliding doors shall be ¼" thick clear float tempered glass.

1.5 PERFORMANCE REQUIREMENTS

Casework and components shall withstand the following minimum loads without damage to components or casework operations:

- A. Base cabinets shall support a minimum of 500 lbs. per lineal foot suspended across cabinet ends.
- B. Drawers in a cabinet shall support a minimum of 100 lbs.
- C. Utility tables (with 4 legs) shall support a minimum of 300 lbs.
- D. Hanging wall cases shall support a minimum of 300 lbs.
- E. Shelves of base units, wall cases, and tall cases shall support a minimum of 100 lbs.

1.6 SHOP DRAWINGS

- A. Submit complete shop drawings showing all casework, elevations, plans, cross sections and installation details.
- B. When locks are specified a complete keying schedule will be submitted with proposed keying for review by Architect and Owner.





STAINLESS STEEL CASEWORK

TECHNICAL PRODUCT DATA

1.7 SAMPLES

Submit one typical wall and base unit for Architect and Owner review and acceptance. The sample, if approved, may be incorporated into the project.

1.8 DELIVERY, STORAGE AND HANDLING

- A. Schedule delivery of casework and equipment so that spaces are sufficiently complete to allow for installation immediately following delivery.
- B. Protect finished surfaces from soiling or damage during handling and installation. Cover working surfaces with cardboard. Mark in large lettering "NO STANDING."

Part 2 – Products

2.1 DESIGN REQUIREMENTS

- A. Modular cabinetry shall be of modern slim line styling with 1" wide vertical stiles and horizontal intermediate rails.
- B. Individual cabinets are to be rigid and self-supporting, modular in nature, for use interchangeably in a group of cabinets, or as a single unit.
- C. Top quality cabinetry to be ensured by the use of the proper machinery, tools, dies, and skilled workmanship in accordance with currently established standards of the laboratory furnishings industry. All cabinets and components are to be assembled utilizing jigs and fixtures as necessary to guarantee interchangeability of components between cabinets of like size.

2.2 CONSTRUCTION

A. CABINET:

- 1. Cabinet backs, end panels, uprights, and toe base fabrication from 18 gauge stainless steel.
- 2. Top and intermediate horizontal rails and rear triangular gussets fabricated from 18 gauge stainless steel.
- 3. "L" shaped front corner reinforcement gussets and hinge reinforcements fabricated from 14 gauge stainless steel.
- 4. Bottom triangular leveler gussets fabricated from 11 gauge stainless steel.
- 5. All cabinets shall have a cleanable smooth interior. Front and rear reinforcing members, and channel shaped uprights shall be enclosed full height.
- 6. Front face joints fully welded, ground and polished to provide a continuous flat front plane free of crevices.
- 7. Front face of doors, drawers, and panels shall align flush with cabinet front, and shall not overlap case ends or top and bottom rails.
- 8. Cabinet openings for doors and drawers rabbetted to provide a dust resistant interior.
- 9. Base cabinets furnished with removable back panel for access to stops, valves, and service lines. No back panel furnished on cabinets with drawers only. Sink base cabinets furnished with lowered back panels (2/3 height) to accommodate sink, drain and service fixtures.





STAINLESS STEEL CASEWORK

TECHNICAL PRODUCT DATA

10. Wall and tall storage cabinets furnished with fixed back panel.
11. Base cabinets, wall cabinets, and tall cabinets up to 48" in width double-hinged doors, furnished without vertical center post to allow full access to cabinet interior.
12. Concealed horizontal rails furnished beneath all drawers, with or without locks.
13. Vertical stiles shall be provided between all doors and drawers, or tiers of drawers of all sectional cabinets.
14. All floor-mounted cabinets supported on (4) adjustable leveling glides.
15. Bottom shelf of base cabinets recessed, with sides turned up to contain spills within cabinet.
16. Bottom of base cabinets shall be removable for cleanability and access to leveling glides. Open or plugged holes in bottom of cabinets for access to leveling glides are not acceptable.
17. Top of toe space below bottom cabinet closed and finished flush.
18. Front corners of cabinets reinforced with "L" shaped reinforcement gussets.
19. Front top rails on cabinets over 30" in width reinforced with additional stainless steel angle shape for greater strength and rigidity.

B. DOORS:

1. All doors shall close against rubber bumpers.
2. All hinged doors less than 36" in height shall be hung by a minimum of two (2) hinges. Doors greater than 36" in height shall be hung with a minimum of three (3) hinges.
3. Hinged and Sliding Solid Panel Doors:
 - a. 3/4" thick, double wall telescoping box construction, with sound deadened interior.
 - b. Exterior pan fabricated from 18 gauge stainless steel.
 - c. Interior pan fabricated from 20 gauge stainless steel.
 - d. Hinges attached with stainless steel screws to 14 gauge steel reinforcing plates in case and door.
4. Hinged and Sliding Framed Glass Doors:
 - a. 18 gauge stainless steel outer face to be of one piece construction, with corners fully welded, ground and polished.
 - b. 20 gauge stainless steel inner face removable for replacement of glazing.
 - c. Glazing set into full perimeter, continuous vinyl glazing channel.

C. DRAWERS:

1. Drawer fronts 3/4" thick, 20 gauge stainless steel telescoping box construction, sound deadening interior.
2. Bottoms and sides of drawer formed from single sheet of 20 gauge stainless steel, coved at bottom. Body spot welded to drawer front.
3. Drawer shall close against rubber bumpers.
4. Drawer suspension – Typical, 100 lb. capacity, zinc-plated heavy duty full-extension telescoping slides with polymer ball bearings. Full width drawers over 36" wide will have 200lb drawer glides.
5. All drawers over 24" in width furnished with (2) drawer pulls.





STAINLESS STEEL CASEWORK

TECHNICAL PRODUCT DATA

D. SHELVES:

1. Adjustable intermediate shelves fabricated from 20 gauge stainless steel, with front and rear edges formed down and back $\frac{3}{4}$ ". Ends formed down $\frac{3}{4}$ " for stiffness.
2. Shelves over 36" long reinforced with stainless steel hat channel stiffener running longitudinally along center of shelf.

E. KNEE SPACE RAILS AND DRAWER ASSEMBLIES:

1. Knee Space Rails: 4" high "C" shaped channel formed from 18 gauge stainless steel.
2. Drawers to be same as standard drawer unit previously specified, mounted in 4-1/2" high, 18 gauge stainless steel four (4) sided frame.
3. Knee space rails and drawer assemblies designed for mechanical attachment to adjacent cabinets without exposed fasteners.

F. CLOSURE PANELS, SCRIBES AND FILLERS:

1. Closure panels, scribes and fillers formed from 18 gauge stainless steel sheet, secured to cabinetry without exposed fasteners.

G. HARDWARE

1. Door Hinges – 2-1/2" long stainless steel five (5) knuckle institutional type butt hinges with rounded ends.
2. Door Catches – Zinc plated adjustable nylon roller catch.
3. Hinged Door and Drawer Pulls – Satin chrome plated wire pull, attached with screws on minimum 4" centers.
4. Drawer pulls shall be mounted horizontally and door pulls mounted vertically.
5. Solid and framed glass sliding doors furnished stainless steel pull.
6. Solid and framed glass sliding doors suspended by nylon-tired sheaves with steel bearings on extruded aluminum overhead track. Bottom of doors held in alignment by removable stainless steel shoe.
7. Shelf Clips: Die formed stainless steel.
8. Leveling Glides: 3/8" – 16 mild steel 250lb capacity glide with minimum 1" adjustment.
9. Label Holders: (where shown on drawings, or as scheduled) 1" x 2-1/2" satin chrome plated finish, installed with screws.
10. Locks: (where shown on drawings, or as scheduled) heavy-duty cylinder type 5-disc tumbler dull nickel plated, stamped with identifying number.

PART 3 – EXECUTION

3.1 INSTALLATION

A. Casework Installation:

1. Set casework components plumb, square and straight with no distortion and securely anchored.
2. Screw continuous cabinets together with joints flush, tight and uniform, and with alignment of adjacent units within 1/16" tolerance.
3. Secure wall cabinets to solid supporting backing material, not to plaster, lath or gypsum board.





STAINLESS STEEL CASEWORK

TECHNICAL PRODUCT DATA

3.2 ADJUSTING

- A. Repair or move and replace defective work, as directed by Owner's Representative upon completion of installation
- B. Adjust Doors, drawers, hardware and other moving or operating parts to function smoothly.

3.3 CLEANING

- A. Clean shop finished casework, touch up as required, wipe down and broom clean interior and exterior of equipment.

3.4 PROTECTION OF FINISHED WORK

- A. Provide all necessary protective measures to prevent exposure of casework and equipment from exposure to other construction activity during installation.
- B. Advise contractor of procedures and precautions for protection of installed casework from damage by workers from other trades.





STAINLESS STEEL CASEWORK

METRIC CONVERSION TABLES

FOR PURPOSES OF THIS CATALOG, THE FOLOWING ARE NOMINAL ENGLISH TO METRIC CONVERSIONS:


| Dimensions: | |
|-------------|---------|
| 2 3/4" | 70 mm |
| 3 1/2" | 89 mm |
| 5 1/2" | 140 mm |
| 7" | 178 mm |
| 11" | 279 mm |
| 14" | 356 mm |
| 16" | 406 mm |
| 18" | 457 mm |
| 22" | 559 mm |
| 24" | 610 mm |
| 28 3/4" | 730 mm |
| 30" | 762 mm |
| 34 3/4" | 883 mm |
| 36" | 914 mm |
| 42" | 1067 mm |
| 48" | 1219 mm |
| 84" | 2134 mm |

| Weights: | |
|----------|----------|
| 100 lbs | 45.4 kg |
| 150 lbs | 68.0 kg |
| 300 lbs | 136.1 kg |
| 500 lbs | 226.8 kg |


| Gauge | Gauge Chart | |
|-------|-------------|------|
| | MM | Inch |
| 11 | 3.17 | .120 |
| 14 | 1.98 | .075 |
| 16 | 1.59 | .060 |
| 18 | 1.27 | .049 |
| 20 | .953 | .036 |
| 22 | .794 | .030 |




Typical Base Cabinet Construction



Typical Wall Cabinet Construction



Typical Tall Cabinet Construction



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BA182229 | 18" | 22" | 28 3/4" |
| BA182235 | 18" | 22" | 34 3/4" |
| BA242229 | 24" | 22" | 28 3/4" |
| BA242235 | 24" | 22" | 34 3/4" |
| BA302229 | 30" | 22" | 28 3/4" |
| BA302235 | 30" | 22" | 34 3/4" |
| BA362229 | 36" | 22" | 28 3/4" |
| BA362235 | 36" | 22" | 34 3/4" |
| BA422229 | 42" | 22" | 28 3/4" |
| BA422235 | 42" | 22" | 34 3/4" |
| BA482229 | 48" | 22" | 28 3/4" |
| BA482235 | 48" | 22" | 34 3/4" |

Open Base Unit



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BB182229 | 18" | 22" | 28 3/4" |
| BB182235 | 18" | 22" | 34 3/4" |
| BB242229 | 24" | 22" | 28 3/4" |
| BB242235 | 24" | 22" | 34 3/4" |

• Add 'L' or 'R' to end of product number for door swing

Hinged Single Door Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BC302229 | 30" | 22" | 28 3/4" |
| BC302235 | 30" | 22" | 34 3/4" |
| BC362229 | 36" | 22" | 28 3/4" |
| BC362235 | 36" | 22" | 34 3/4" |
| BC422229 | 42" | 22" | 28 3/4" |
| BC422235 | 42" | 22" | 34 3/4" |
| BC482229 | 48" | 22" | 28 3/4" |
| BC482235 | 48" | 22" | 34 3/4" |

Hinged Double Door Base Unit



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BD302229 | 30" | 22" | 28 3/4" |
| BD302235 | 30" | 22" | 34 3/4" |
| BD362229 | 36" | 22" | 28 3/4" |
| BD362235 | 36" | 22" | 34 3/4" |
| BD422229 | 42" | 22" | 28 3/4" |
| BD422235 | 42" | 22" | 34 3/4" |
| BD482229 | 48" | 22" | 28 3/4" |
| BD482235 | 48" | 22" | 34 3/4" |

Sliding Door Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

Hinged Single Door/Single Drawer Base Unit



| z Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|---------------------|--------------------|-----|---------|-------------------|--------|-----|
| | W | D | H | No. | D | H |
| BE182229 | 18" | 22" | 28 3/4" | 1 | 5 1/2" | 1/4 |
| BE182235 | 18" | 22" | 34 3/4" | 1 | 7" | 1/4 |
| BE242229 | 24" | 22" | 28 3/4" | 1 | 5 1/2" | 1/4 |
| BE242235 | 24" | 22" | 34 3/4" | 1 | 7" | 1/4 |

• Add 'L' or 'R' to end of product number for door swing

Hinged Single Door/Double Drawer Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|-----|
| | W | D | H | No. | D | H |
| BF182229 | 18" | 22" | 28 3/4" | 2 | 2 3/4" | 1/8 |
| BF182235 | 18" | 22" | 34 3/4" | 2 | 3 1/2" | 1/8 |
| BF242229 | 24" | 22" | 28 3/4" | 2 | 2 3/4" | 1/8 |
| BF242235 | 24" | 22" | 34 3/4" | 2 | 3 1/2" | 1/8 |

• Add 'L' or 'R' to end of product number for door swing

Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|-----|
| | W | D | H | No. | D | H |
| BG302229 | 30" | 22" | 28 3/4" | 2 | 5 1/2" | 1/4 |
| BG302235 | 30" | 22" | 34 3/4" | 2 | 7" | 1/4 |
| BG362229 | 36" | 22" | 28 3/4" | 2 | 5 1/2" | 1/4 |
| BG362235 | 36" | 22" | 34 3/4" | 2 | 7" | 1/4 |
| BG422229 | 42" | 22" | 28 3/4" | 2 | 5 1/2" | 1/4 |
| BG422235 | 42" | 22" | 34 3/4" | 2 | 7" | 1/4 |
| BG482229 | 48" | 22" | 28 3/4" | 2 | 5 1/2" | 1/4 |
| BG482235 | 48" | 22" | 34 3/4" | 2 | 7" | 1/4 |

Hinged Double Door/Single Drawer Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|-----|
| | W | D | H | No. | D | H |
| BH302229 | 30" | 22" | 28 3/4" | 4 | 2 3/4" | 1/8 |
| BH302235 | 30" | 22" | 34 3/4" | 4 | 3 1/2" | 1/8 |
| BH362229 | 36" | 22" | 28 3/4" | 4 | 2 3/4" | 1/8 |
| BH362235 | 36" | 22" | 34 3/4" | 4 | 3 1/2" | 1/8 |
| BH422229 | 42" | 22" | 28 3/4" | 4 | 2 3/4" | 1/8 |
| BH422235 | 42" | 22" | 34 3/4" | 4 | 3 1/2" | 1/8 |
| BH482229 | 48" | 22" | 28 3/4" | 4 | 2 3/4" | 1/8 |
| BH482235 | 48" | 22" | 34 3/4" | 4 | 3 1/2" | 1/8 |

Hinged Double Door/Double Drawer Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|------|
| | W | D | H | No. | D | H |
| BJ302229 | 30" | 22" | 28 3/4" | 1 | 5 1/2" | 1/4" |
| BJ302235 | 30" | 22" | 34 3/4" | 1 | 7" | 1/4" |
| BJ362229 | 36" | 22" | 28 3/4" | 1 | 5 1/2" | 1/4" |
| BJ362235 | 36" | 22" | 34 3/4" | 1 | 7" | 1/4" |
| BJ422229 | 42" | 22" | 28 3/4" | 1 | 5 1/2" | 1/4" |
| BJ422235 | 42" | 22" | 34 3/4" | 1 | 7" | 1/4" |
| BJ482229 | 48" | 22" | 28 3/4" | 1 | 5 1/2" | 1/4" |
| BJ482235 | 48" | 22" | 34 3/4" | 1 | 7" | 1/4" |

Hinged Double Door/Single Drawer Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|------|
| | W | D | H | No. | D | H |
| BK182229 | 18" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4" |
| BK182235 | 18" | 22" | 34 3/4" | 4 | 7" | 1/4" |
| BK242229 | 24" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4" |
| BK242235 | 24" | 22" | 34 3/4" | 4 | 7" | 1/4" |
| BK302229 | 30" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4" |
| BK302235 | 30" | 22" | 34 3/4" | 4 | 7" | 1/4" |
| BK362229 | 36" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4" |
| BK362235 | 36" | 22" | 34 3/4" | 4 | 7" | 1/4" |
| BK422229 | 42" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4" |
| BK422235 | 42" | 22" | 34 3/4" | 4 | 7" | 1/4" |
| BK482229 | 48" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4" |
| BK482235 | 48" | 22" | 34 3/4" | 4 | 7" | 1/4" |

Drawer Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|---|---|
| | W | D | H | No. | D | H |
| BL182229 | 18" | 22" | 28 3/4" | 5 | * | * |
| BL182235 | 18" | 22" | 34 3/4" | 5 | * | * |
| BL242229 | 24" | 22" | 28 3/4" | 5 | * | * |
| BL242235 | 24" | 22" | 34 3/4" | 5 | * | * |
| BL302229 | 30" | 22" | 28 3/4" | 5 | * | * |
| BL302235 | 30" | 22" | 34 3/4" | 5 | * | * |
| BL362229 | 36" | 22" | 28 3/4" | 5 | * | * |
| BL362235 | 36" | 22" | 34 3/4" | 5 | * | * |
| BL422229 | 42" | 22" | 28 3/4" | 5 | * | * |
| BL422235 | 42" | 22" | 34 3/4" | 5 | * | * |
| BL482229 | 48" | 22" | 28 3/4" | 5 | * | * |
| BL482235 | 48" | 22" | 34 3/4" | 5 | * | * |

Drawer Base Unit



- * **For Units 28 3/4" High:** 2 Drawers - (D) 2 3/4", (H) 1/8. 4 Drawers - (D) 5 1/2", (H) 1/4.
- * **For Units 34 3/4" High:** 2 Drawers - (D) 3 1/2", (H) 1/8. 4 Drawers - (D) 7", (H) 1/4.

Drawer/Door Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|-----|
| | W | D | H | No. | D | H |
| BM302229 | 30" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4 |
| BM302235 | 30" | 22" | 34 3/4" | 4 | 7" | 1/4 |
| BM362229 | 36" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4 |
| BM362235 | 36" | 22" | 34 3/4" | 4 | 7" | 1/4 |
| BM422229 | 42" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4 |
| BM422235 | 42" | 22" | 34 3/4" | 4 | 7" | 1/4 |
| BM482229 | 48" | 22" | 28 3/4" | 4 | 5 1/2" | 1/4 |
| BM482235 | 48" | 22" | 34 3/4" | 4 | 7" | 1/4 |

• Add 'L' or 'R' to end of product number for door swing

Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|-----|
| | W | D | H | No. | D | H |
| BL302229 | 30" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4 |
| BL302235 | 30" | 22" | 34 3/4" | 5 | 7" | 1/4 |
| BL362229 | 36" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4 |
| BL362235 | 36" | 22" | 34 3/4" | 5 | 7" | 1/4 |
| BL422229 | 42" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4 |
| BL422235 | 42" | 22" | 34 3/4" | 5 | 7" | 1/4 |
| BL482229 | 48" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4 |
| BL482235 | 48" | 22" | 34 3/4" | 5 | 7" | 1/4 |

• Add 'L' or 'R' to end of product number for door swing

Drawer Base Unit



Drawer/Door Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|---|---|
| | W | D | H | No. | D | H |
| BM302229 | 30" | 22" | 28 3/4" | 7 | * | * |
| BM302235 | 30" | 22" | 34 3/4" | 7 | * | * |
| BM362229 | 36" | 22" | 28 3/4" | 7 | * | * |
| BM362235 | 36" | 22" | 34 3/4" | 7 | * | * |
| BM422229 | 42" | 22" | 28 3/4" | 7 | * | * |
| BM422235 | 42" | 22" | 34 3/4" | 7 | * | * |
| BM482229 | 48" | 22" | 28 3/4" | 7 | * | * |
| BM482235 | 48" | 22" | 34 3/4" | 7 | * | * |

• Add 'L' or 'R' to end of product number for door swing

- * **For Units 28 3/4" High:** 4 Drawers - (D) 2 3/4", (H) 1/8. 3 Drawers - (D) 5 1/2", (H) 1/4
- * **For Units 34 3/4" High:** 4 Drawers - (D) 3 1/2", (H) 1/8. 3 Drawers - (D) 7", (H) 1/4.

Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|------|
| | W | D | H | No. | D | H |
| BQ302229 | 30" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4" |
| BQ302235 | 30" | 22" | 34 3/4" | 5 | 7" | 1/4" |
| BQ362229 | 36" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4" |
| BQ362235 | 36" | 22" | 34 3/4" | 5 | 7" | 1/4" |
| BQ422229 | 42" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4" |
| BQ422235 | 42" | 22" | 34 3/4" | 5 | 7" | 1/4" |
| BQ482229 | 48" | 22" | 28 3/4" | 5 | 5 1/2" | 1/4" |
| BQ482235 | 48" | 22" | 34 3/4" | 5 | 7" | 1/4" |

Combo Drawer Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|------|
| | W | D | H | No. | D | H |
| BR302229 | 30" | 22" | 28 3/4" | 6 | 5 1/2" | 1/4" |
| BR302235 | 30" | 22" | 34 3/4" | 6 | 7" | 1/4" |
| BR362229 | 36" | 22" | 28 3/4" | 6 | 5 1/2" | 1/4" |
| BR362235 | 36" | 22" | 34 3/4" | 6 | 7" | 1/4" |
| BR422229 | 42" | 22" | 28 3/4" | 6 | 5 1/2" | 1/4" |
| BR422235 | 42" | 22" | 34 3/4" | 6 | 7" | 1/4" |
| BR482229 | 48" | 22" | 28 3/4" | 6 | 5 1/2" | 1/4" |
| BR482235 | 48" | 22" | 34 3/4" | 6 | 7" | 1/4" |

Combo Drawer Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|------|
| | W | D | H | No. | D | H |
| BS302229 | 30" | 22" | 28 3/4" | 7 | 5 1/2" | 1/4" |
| BS302235 | 30" | 22" | 34 3/4" | 7 | 7" | 1/4" |
| BS362229 | 36" | 22" | 28 3/4" | 7 | 5 1/2" | 1/4" |
| BS362235 | 36" | 22" | 34 3/4" | 7 | 7" | 1/4" |
| BS422229 | 42" | 22" | 28 3/4" | 7 | 5 1/2" | 1/4" |
| BS422235 | 42" | 22" | 34 3/4" | 7 | 7" | 1/4" |
| BS482229 | 48" | 22" | 28 3/4" | 7 | 5 1/2" | 1/4" |
| BS482235 | 48" | 22" | 34 3/4" | 7 | 7" | 1/4" |

Combo Drawer Base Unit



| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|--------|------|
| | W | D | H | No. | D | H |
| BT302229 | 30" | 22" | 28 3/4" | 8 | 5 1/2" | 1/4" |
| BT302235 | 30" | 22" | 34 3/4" | 8 | 7" | 1/4" |
| BT362229 | 36" | 22" | 28 3/4" | 8 | 5 1/2" | 1/4" |
| BT362235 | 36" | 22" | 34 3/4" | 8 | 7" | 1/4" |
| BT422229 | 42" | 22" | 28 3/4" | 8 | 5 1/2" | 1/4" |
| BT422235 | 42" | 22" | 34 3/4" | 8 | 7" | 1/4" |
| BT482229 | 48" | 22" | 28 3/4" | 8 | 5 1/2" | 1/4" |
| BT482235 | 48" | 22" | 34 3/4" | 8 | 7" | 1/4" |

Combo Drawer Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available
- For actual drawer heights please see drawer dimension table

| Catalog Number | Overall Dimensions | | | Drawer Dimensions | | |
|----------------|--------------------|-----|---------|-------------------|---|---|
| | W | D | H | No. | D | H |
| BU302229 | 30" | 22" | 28 3/4" | 10 | * | * |
| BU302235 | 30" | 22" | 34 3/4" | 10 | * | * |
| BU362229 | 36" | 22" | 28 3/4" | 10 | * | * |
| BU362235 | 36" | 22" | 34 3/4" | 10 | * | * |
| BU422229 | 42" | 22" | 28 3/4" | 10 | * | * |
| BU422235 | 42" | 22" | 34 3/4" | 10 | * | * |
| BU482229 | 48" | 22" | 28 3/4" | 10 | * | * |
| BU482235 | 48" | 22" | 34 3/4" | 10 | * | * |

Combo Drawer Base Unit




- **For Units 28 3/4" High:** 2 Drawers - (D) 2 3/4", (H) 1/8. 4 Drawers - (D) 5 1/2", (H) 1/4.
- **For Units 34 3/4" High:** 2 Drawers - (D) 3 1/2", (H) 1/8. 4 Drawers - (D) 7", (H) 1/4.

Corner Base Unit

| Catalog Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BV342229 | 34" | 22" | 28 3/4" |
| BV342235 | 34" | 22" | 34 3/4" |

• Add 'L' or 'R' to end of product number for door swing



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BW182229 | 18" | 22" | 28 3/4" |
| BW182235 | 48" | 22" | 34 3/4" |
| BW242229 | 24" | 22" | 28 3/4" |
| BW242235 | 24" | 22" | 34 3/4" |

• Add 'L' or 'R' to end of product number for door swing
 • Back cut-out for large sinks

Sink Single Door Base Unit



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BX302229 | 30" | 22" | 28 3/4" |
| BX302235 | 30" | 22" | 34 3/4" |
| BX362229 | 36" | 22" | 28 3/4" |
| BX362235 | 36" | 22" | 34 3/4" |
| BX422229 | 42" | 22" | 28 3/4" |
| BX422235 | 42" | 22" | 34 3/4" |
| BX482229 | 48" | 22" | 28 3/4" |
| BX482235 | 48" | 22" | 34 3/4" |

• Back cut-out for large sinks

Sink Double Door Base Unit



Common Features

- ADA height available
- Adjustable shelf
- Removable back/bottom
- Solid hinged door (units with doors)
- Lock options available

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BY522229 | 52" | 22" | 28 3/4" |
| BY522235 | 52" | 22" | 34 3/4" |
| BY582229 | 58" | 22" | 28 3/4" |
| BY582235 | 58" | 22" | 34 3/4" |

- Flush front panel above
- Back cut-out for large sinks


Sink Base Unit



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|---------|
| | W | D | H |
| BZ602229 | 60" | 22" | 28 3/4" |
| BZ602235 | 60" | 22" | 34 3/4" |

- Flush front panel above
- Back cut-out for large sinks

Sink Double Door Base Unit



Open Front Wall Unit

Common Features

- Solid back
- Adjustable shelf on 1/2" increments, see below:
 24" high cabinet = one shelf
 30" high cabinet = two shelves
 36" high cabinet = two shelves
 48" high cabinet = three shelves



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|
| | W | D | H | | W | D | H | | W | D | H | | W | D | H |
| WA181324 | 18" | 13" | 24" | WA181330 | 18" | 13" | 30" | WA181336 | 18" | 13" | 36" | WA181348 | 18" | 13" | 48" |
| WA181624 | 18" | 16" | 24" | WA181630 | 18" | 16" | 30" | WA181636 | 18" | 16" | 36" | WA181648 | 18" | 16" | 48" |
| WA241324 | 24" | 13" | 24" | WA241330 | 24" | 13" | 30" | WA241336 | 24" | 13" | 36" | WA241348 | 24" | 13" | 48" |
| WA241624 | 24" | 16" | 24" | WA241630 | 24" | 16" | 30" | WA241636 | 24" | 16" | 36" | WA241648 | 24" | 16" | 48" |
| WA301324 | 30" | 13" | 24" | WA301330 | 30" | 13" | 30" | WA301336 | 30" | 13" | 36" | WA301348 | 30" | 13" | 48" |
| WA301624 | 30" | 16" | 24" | WA301630 | 30" | 16" | 30" | WA301636 | 30" | 16" | 36" | WA301648 | 30" | 16" | 48" |
| WA361324 | 36" | 13" | 24" | WA361330 | 36" | 13" | 30" | WA361336 | 36" | 13" | 36" | WA361348 | 36" | 13" | 48" |
| WA361624 | 36" | 16" | 24" | WA361630 | 36" | 16" | 30" | WA361636 | 36" | 16" | 36" | WA361648 | 36" | 16" | 48" |
| WA421324 | 42" | 13" | 24" | WA421330 | 42" | 13" | 30" | WA421336 | 42" | 13" | 36" | WA421348 | 42" | 13" | 48" |
| WA421624 | 42" | 16" | 24" | WA421630 | 42" | 16" | 30" | WA421636 | 42" | 16" | 36" | WA421648 | 42" | 16" | 48" |
| WA481324 | 48" | 13" | 24" | WA481330 | 48" | 13" | 30" | WA481336 | 48" | 13" | 36" | WA481348 | 48" | 13" | 48" |
| WA481624 | 48" | 16" | 24" | WA481630 | 48" | 16" | 30" | WA481636 | 48" | 16" | 36" | WA481648 | 48" | 16" | 48" |

Solid Hinged Door Wall Unit

Common Features

- Solid back
- Lock options available
- Adjustable shelf on 1/2" increments, see below:
 - 24" high cabinet = one shelf
 - 30" high cabinet = two shelves
 - 36" high cabinet = two shelves
 - 48" high cabinet = three shelves
- Add 'L' or 'R' to end of product number for door swing



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|
| | W | D | H | | W | D | H | | W | D | H | | W | D | H |
| WB181324 | 18" | 13" | 24" | WB181330 | 18" | 13" | 30" | WB181336 | 18" | 13" | 36" | WB181348 | 18" | 13" | 48" |
| WB181624 | 18" | 16" | 24" | WB181630 | 18" | 16" | 30" | WB181636 | 18" | 16" | 36" | WB181648 | 18" | 16" | 48" |
| WB241324 | 24" | 13" | 24" | WB241330 | 24" | 13" | 30" | WB241336 | 24" | 13" | 36" | WB241348 | 24" | 13" | 48" |
| WB241624 | 24" | 16" | 24" | WB241630 | 24" | 16" | 30" | WB241636 | 24" | 16" | 36" | WB241648 | 24" | 16" | 48" |

Double Hinged Door Wall Unit

Common Features

- Solid back
- Lock options available
- Adjustable shelf on 1/2" increments, see below:
 - 24" high cabinet = one shelf
 - 30" high cabinet = two shelves
 - 36" high cabinet = two shelves
 - 48" high cabinet = three shelves



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|
| | W | D | H | | W | D | H | | W | D | H | | W | D | H |
| WC301324 | 30" | 13" | 24" | WC301330 | 30" | 13" | 30" | WC301336 | 30" | 13" | 36" | WC301348 | 30" | 13" | 48" |
| WC301624 | 30" | 16" | 24" | WC301630 | 30" | 16" | 30" | WC301636 | 30" | 16" | 36" | WC301648 | 30" | 16" | 48" |
| WC361324 | 36" | 13" | 24" | WC361330 | 36" | 13" | 30" | WC361336 | 36" | 13" | 36" | WC361348 | 36" | 13" | 48" |
| WC361624 | 36" | 16" | 24" | WC361630 | 36" | 16" | 30" | WC361636 | 36" | 16" | 36" | WC361648 | 36" | 16" | 48" |
| WC421324 | 42" | 13" | 24" | WC421330 | 42" | 13" | 30" | WC421336 | 42" | 13" | 36" | WC421348 | 42" | 13" | 48" |
| WC421624 | 42" | 16" | 24" | WC421630 | 42" | 16" | 30" | WC421636 | 42" | 16" | 36" | WC421648 | 42" | 16" | 48" |
| WC481324 | 48" | 13" | 24" | WC481330 | 48" | 13" | 30" | WC481336 | 48" | 13" | 36" | WC481348 | 48" | 13" | 48" |
| WC481624 | 48" | 16" | 24" | WC481630 | 48" | 16" | 30" | WC481636 | 48" | 16" | 36" | WC481648 | 48" | 16" | 48" |

Sliding Door Wall Unit

Common Features

- Solid back
- Lock options available
- Adjustable shelf on 1/2" increments, see below:
 - 24" high cabinet = one shelf
 - 30" high cabinet = two shelves
 - 36" high cabinet = two shelves
 - 48" high cabinet = three shelves



| Overall Dimensions | | | |
|--------------------|-----|-----|-----|--------------------|-----|-----|-----|--------------------|-----|-----|-----|--------------------|-----|-----|-----|
| Product Number | W | D | H | Product Number | W | D | H | Product Number | W | D | H | Product Number | W | D | H |
| WD301324 | 30" | 13" | 24" | WD301330 | 30" | 13" | 30" | WD301336 | 30" | 13" | 36" | WD301348 | 30" | 13" | 48" |
| WD301624 | 30" | 16" | 24" | WD301630 | 30" | 16" | 30" | WD301636 | 30" | 16" | 36" | WD301648 | 30" | 16" | 48" |
| WD361324 | 36" | 13" | 24" | WD361330 | 36" | 13" | 30" | WD361336 | 36" | 13" | 36" | WD361348 | 36" | 13" | 48" |
| WD361624 | 36" | 16" | 24" | WD361630 | 36" | 16" | 30" | WD361636 | 36" | 16" | 36" | WD361648 | 36" | 16" | 48" |
| WD421324 | 42" | 13" | 24" | WD421330 | 42" | 13" | 30" | WD421336 | 42" | 13" | 36" | WD421348 | 42" | 13" | 48" |
| WD421624 | 42" | 16" | 24" | WD421630 | 42" | 16" | 30" | WD421636 | 42" | 16" | 36" | WD421648 | 42" | 16" | 48" |
| WD481324 | 48" | 13" | 24" | WD481330 | 48" | 13" | 30" | WD481336 | 48" | 13" | 36" | WD481348 | 48" | 13" | 48" |
| WD481624 | 48" | 16" | 24" | WD481630 | 48" | 16" | 30" | WD481636 | 48" | 16" | 36" | WD481648 | 48" | 16" | 48" |

Framed Glass Hinged Door Wall Unit

Common Features

- Solid back
- Lock options available
- Adjustable shelf on 1/2" increments, see below:
 - 24" high cabinet = one shelf
 - 30" high cabinet = two shelves
 - 36" high cabinet = two shelves
 - 48" high cabinet = three shelves
- Add 'L' or 'R' to end of product number for door swing



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|
| | W | D | H | | W | D | H | | W | D | H | | W | D | H |
| WE181324 | 18" | 13" | 24" | WE181330 | 18" | 13" | 30" | WE181336 | 18" | 13" | 36" | WE181348 | 18" | 13" | 48" |
| WE181624 | 18" | 16" | 24" | WE181630 | 18" | 16" | 30" | WE181636 | 18" | 16" | 36" | WE181648 | 18" | 16" | 48" |
| WE241324 | 24" | 13" | 24" | WE241330 | 24" | 13" | 30" | WE241336 | 24" | 13" | 36" | WE241348 | 24" | 13" | 48" |
| WE241624 | 24" | 16" | 24" | WE241630 | 24" | 16" | 30" | WE241636 | 24" | 16" | 36" | WE241648 | 24" | 16" | 48" |

Framed Glass Hinged Double Door Wall Unit

Common Features

- Solid back
- Lock options available
- Adjustable shelf on 1/2" increments, see below:
 - 24" high cabinet = one shelf
 - 30" high cabinet = two shelves
 - 36" high cabinet = two shelves
 - 48" high cabinet = three shelves



| Overall Dimensions | | | |
|--------------------|-----|-----|-----|--------------------|-----|-----|-----|--------------------|-----|-----|-----|--------------------|-----|-----|-----|
| Product Number | W | D | H | Product Number | W | D | H | Product Number | W | D | H | Product Number | W | D | H |
| WF301324 | 30" | 13" | 24" | WF301330 | 30" | 13" | 30" | WF301336 | 30" | 13" | 36" | WF301348 | 30" | 13" | 48" |
| WF301624 | 30" | 16" | 24" | WF301630 | 30" | 16" | 30" | WF301636 | 30" | 16" | 36" | WF301648 | 30" | 16" | 48" |
| WF361324 | 36" | 13" | 24" | WF361330 | 36" | 13" | 30" | WF361336 | 36" | 13" | 36" | WF361348 | 36" | 13" | 48" |
| WF361624 | 36" | 16" | 24" | WF361630 | 36" | 16" | 30" | WF361636 | 36" | 16" | 36" | WF361648 | 36" | 16" | 48" |
| WF421324 | 42" | 13" | 24" | WF421330 | 42" | 13" | 30" | WF421336 | 42" | 13" | 36" | WF421348 | 42" | 13" | 48" |
| WF421624 | 42" | 16" | 24" | WF421630 | 42" | 16" | 30" | WF421636 | 42" | 16" | 36" | WF421648 | 42" | 16" | 48" |
| WF481324 | 48" | 13" | 24" | WF481330 | 48" | 13" | 30" | WF481336 | 48" | 13" | 36" | WF481348 | 48" | 13" | 48" |
| WF481624 | 48" | 16" | 24" | WF481630 | 48" | 16" | 30" | WF481636 | 48" | 16" | 36" | WF481648 | 48" | 16" | 48" |

Framed Glass Sliding Door Wall Unit

Common Features

- Solid back
- Lock options available
- Adjustable shelf on 1/2" increments, see below:
 - 24" high cabinet = one shelf
 - 30" high cabinet = two shelves
 - 36" high cabinet = two shelves
 - 48" high cabinet = three shelves



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|----------------|--------------------|-----|-----|
| | W | D | H | | W | D | H | | W | D | H | | W | D | H |
| WG301324 | 30" | 13" | 24" | WG301330 | 30" | 13" | 30" | WG301336 | 30" | 13" | 36" | WG301348 | 30" | 13" | 48" |
| WG301624 | 30" | 16" | 24" | WG301630 | 30" | 16" | 30" | WG301636 | 30" | 16" | 36" | WG301648 | 30" | 16" | 48" |
| WG361324 | 36" | 13" | 24" | WG361330 | 36" | 13" | 30" | WG361336 | 36" | 13" | 36" | WG361348 | 36" | 13" | 48" |
| WG361624 | 36" | 16" | 24" | WG361630 | 36" | 16" | 30" | WG361636 | 36" | 16" | 36" | WG361648 | 36" | 16" | 48" |
| WG421324 | 42" | 13" | 24" | WG421330 | 42" | 13" | 30" | WG421336 | 42" | 13" | 36" | WG421348 | 42" | 13" | 48" |
| WG421624 | 42" | 16" | 24" | WG421630 | 42" | 16" | 30" | WG421636 | 42" | 16" | 36" | WG421648 | 42" | 16" | 48" |
| WG481324 | 48" | 13" | 24" | WG481330 | 48" | 13" | 30" | WG481336 | 48" | 13" | 36" | WG481348 | 48" | 13" | 48" |
| WG481624 | 48" | 16" | 24" | WG481630 | 48" | 16" | 30" | WG481636 | 48" | 16" | 36" | WG481648 | 48" | 16" | 48" |

Common Features

- Adjustable shelves (five, unless specified)
- Solid back
- Solid hinged door (units with doors)
- Lock options available

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TA181684 | 18" | 16" | 84" |
| TA182284 | 18" | 22" | 84" |
| TA241684 | 24" | 16" | 84" |
| TA242284 | 24" | 22" | 84" |
| TA301684 | 30" | 16" | 84" |
| TA302284 | 30" | 22" | 84" |
| TA361684 | 36" | 16" | 84" |
| TA362284 | 36" | 22" | 84" |
| TA421684 | 42" | 16" | 84" |
| TA422284 | 42" | 22" | 84" |
| TA481684 | 48" | 16" | 84" |
| TA482284 | 48" | 22" | 84" |

Open Front Tall Unit



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TB181684 | 18" | 16" | 84" |
| TB182284 | 18" | 22" | 84" |
| TB241684 | 24" | 16" | 84" |
| TB242284 | 24" | 22" | 84" |

• Add 'L' or 'R' to end of product number for door swing

Hinged Door Tall Unit



Common Features

- Adjustable shelves (five, unless specified)
- Solid back
- Solid hinged door (units with doors)
- Lock options available

Hinged Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TC301684 | 30" | 16" | 84" |
| TC302284 | 30" | 22" | 84" |
| TC361684 | 36" | 16" | 84" |
| TC362284 | 36" | 22" | 84" |
| TC421684 | 42" | 16" | 84" |
| TC422284 | 42" | 22" | 84" |
| TC481684 | 48" | 16" | 84" |
| TC482284 | 48" | 22" | 84" |



Hinged Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TD301684 | 30" | 16" | 84" |
| TD302284 | 30" | 22" | 84" |
| TD361684 | 36" | 16" | 84" |
| TD362284 | 36" | 22" | 84" |
| TD421684 | 42" | 16" | 84" |
| TD422284 | 42" | 22" | 84" |
| TD481684 | 48" | 16" | 84" |
| TD482284 | 48" | 22" | 84" |

- Double sided hinged doors at top and bottom section
- Fixed center divider shelf
- Four adjustable shelves



Common Features

- Adjustable shelves (five, unless specified)
- Solid back
- Solid hinged door (units with doors)
- Lock options available

Solid Sliding Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TE301684 | 30" | 16" | 84" |
| TE302284 | 30" | 22" | 84" |
| TE361684 | 36" | 16" | 84" |
| TE362284 | 36" | 22" | 84" |
| TE421684 | 42" | 16" | 84" |
| TE422284 | 42" | 22" | 84" |
| TE481684 | 48" | 16" | 84" |
| TE482284 | 48" | 22" | 84" |



Framed Glass Hinged Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TF181684 | 18" | 16" | 84" |
| TF182284 | 18" | 22" | 84" |
| TF241684 | 24" | 16" | 84" |
| TF242284 | 24" | 22" | 84" |

• Add 'L' or 'R' to end of product number for door swing



Common Features

- Adjustable shelves (five, unless specified)
- Solid back
- Solid hinged door (units with doors)
- Lock options available

Framed Glass Hinged Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TG301684 | 30" | 16" | 84" |
| TG302284 | 30" | 22" | 84" |
| TG361684 | 36" | 16" | 84" |
| TG362284 | 36" | 22" | 84" |
| TG421684 | 42" | 16" | 84" |
| TG422284 | 42" | 22" | 84" |
| TG481684 | 48" | 16" | 84" |
| TG482284 | 48" | 22" | 84" |



Framed Glass Hinged Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TH301684 | 30" | 16" | 84" |
| TH302284 | 30" | 22" | 84" |
| TH361684 | 36" | 16" | 84" |
| TH362284 | 36" | 22" | 84" |
| TH421684 | 42" | 16" | 84" |
| TH422284 | 42" | 22" | 84" |
| TH481684 | 48" | 16" | 84" |
| TH482284 | 48" | 22" | 84" |

- Double sided hinged doors at top and bottom
- Fixed center divider shelf
- Four adjustable shelves



Common Features

- Adjustable shelves (five, unless specified)
- Solid back
- Solid hinged door (units with doors)
- Lock options available

Framed Glass Sliding Door Tall Unit

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| TJ301684 | 30" | 16" | 84" |
| TJ302284 | 30" | 22" | 84" |
| TJ361684 | 36" | 16" | 84" |
| TJ362284 | 36" | 22" | 84" |
| TJ421684 | 42" | 16" | 84" |
| TJ422284 | 42" | 22" | 84" |
| TJ481684 | 84" | 16" | 84" |
| TJ482284 | 84" | 22" | 84" |




Common Features

- Specify required width (W) = 1", 2", 6" etc


| Product Number | Overall Dimensions | |
|--|--------------------|---------|
| | W | H |
| BSF01(W)29 | (W) | 28 3/4" |
| BSF01(W)35 | (W) | 34 3/4" |
| <ul style="list-style-type: none"> Scribe between base cabinet and abutting to wall | | |

Base Cabinet End Scribe



| Product Number | Overall Dimensions | |
|--|--------------------|---------|
| | W | H |
| BSF02(W)29 | (W) | 28 3/4" |
| BSF02(W)35 | (W) | 34 3/4" |
| BSF02(W)29 | (W) | 28 3/4" |
| BSF02(W)35 | (W) | 34 3/4" |
| <ul style="list-style-type: none"> Filler to close service chase at rear of base unit to wall | | |

Base Cabinet Rear Filler



Common Features

- Specify required width (W) = 1", 2", 6" etc

Base Cabinet Center Filler

| Product Number | Overall Dimensions | |
|---------------------|--------------------|---------|
| | W | H |
| BSF03(<u>W</u>)29 | (W) | 28 3/4" |
| BSF03(<u>W</u>)29 | (W) | 34 3/4" |


- For back to back base units



Base Cabinet Front Filler

| Product Number | Overall Dimensions | |
|---------------------|--------------------|---------|
| | W | H |
| BSF04(<u>W</u>)29 | (W) | 28 3/4" |
| BSF04(<u>W</u>)35 | (W) | 34 3/4" |

- For adjacent base units



Common Features

- Specify required width (W) = 1", 2", 6" etc

Base Cabinet Corner Filler

| Product Number | Overall Dimensions | |
|--|--------------------|---------|
| | W | H |
| BSF05(<u>W</u>)29 | (W) | 28 3/4" |
| BSF05(<u>W</u>)35 | (W) | 34 3/4" |
| <ul style="list-style-type: none"> • Corner filler for base cabinets joining at 90° angle | | |




Common Features

- Specify width requirement

| Product Number | Overall Dimensions | |
|----------------|--------------------|---------|
| | W | H |
| KSP3029 | 30" | 28 3/4" |
| KSP3035 | 30" | 34 3/4" |
| KSP3629 | 36" | 28 3/4" |
| KSP3635 | 36" | 34 3/4" |
| KSP4229 | 42" | 28 3/4" |
| KSP4235 | 42" | 34 3/4" |
| KSP4829 | 48" | 28 3/4" |
| KSP4835 | 48" | 34 3/4" |

- Knee space panel to provide physical and visual barrier

Knee Space Panel



| Product Number | Overall Dimensions | |
|----------------|--------------------|----|
| | W | H |
| KSR24 | 24" | 4" |
| KSR30 | 30" | 4" |
| KSR36 | 36" | 4" |
| KSR42 | 42" | 4" |
| KSR48 | 48" | 4" |

- Used to finish off front of knee space between cabinets when drawer unit is not used

Knee Space Rail



Common Features

- Specify width requirement


| Product Number | Overall Dimensions | |
|--|--------------------|----|
| | W | H |
| KSD130 | 30" | 4" |
| KSD136 | 36" | 4" |
| <ul style="list-style-type: none"> • Drawer unit to span between base units | | |

Knee Space Drawer



| Product Number | Overall Dimensions | |
|--|--------------------|----|
| | W | H |
| KSD242 | 42" | 4" |
| KSD248 | 48" | 4" |
| <ul style="list-style-type: none"> • Drawer unit to span between base units | | |

Knee Space Drawer



Common Features

- Specify width requirement

Countertop Finished End Panel

| Product Number | Overall Dimensions | |
|----------------|--------------------|---------|
| | W | H |
| FEP22 | 22" | 28 3/4" |
| FEP22 | 22" | 34 3/4" |
| FEP29 | 29" | 28 3/4" |
| FEP29 | 29" | 34 3/4" |

• 1" thick panel, finished both sides



Common Features

- Specify width requirement
- Specify required width (W) = 1", 2", 6" etc

| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| WFS01(W)1324 | (W) | 13" | 24" |
| WFS01(W)1624 | (W) | 16" | 24" |
| WFS01(W)1330 | (W) | 13" | 30" |
| WFS01(W)1630 | (W) | 16" | 30" |
| WFS01(W)1336 | (W) | 13" | 36" |
| WFS01(W)1636 | (W) | 16" | 36" |
| WFS01(W)1348 | (W) | 13" | 48" |
| WFS01(W)1648 | (W) | 16" | 48" |

• Scribe between wall cabinet abutting to wall

Wall Cabinet Scribe



| Product Number | Overall Dimensions | | |
|----------------|--------------------|-----|-----|
| | W | D | H |
| WFS02(W)1324 | (W) | 13" | 24" |
| WFS02(W)1624 | (W) | 16" | 24" |
| WFS02(W)1330 | (W) | 13" | 30" |
| WFS02(W)1630 | (W) | 16" | 30" |
| WFS02(W)1336 | (W) | 13" | 36" |
| WFS02(W)1636 | (W) | 16" | 36" |
| WFS02(W)1348 | (W) | 13" | 48" |
| WFS02(W)1648 | (W) | 16" | 48" |

• For adjacent wall cabinets

Wall Front Filler Panel



Common Features

- Specify width requirement
- Specify required width (W) = 1", 2", 6" etc

Wall Cabinet Closure Panels

| | Overall Dimensions |
|--|--------------------|
| Product Number | W |
| WSF0313 | 13" |
| WSF0316 | 16" |
| <ul style="list-style-type: none"> • Top and bottom panels to cover the opening at the inside corners of wall units | |



Tall Cabinet End Scribe

| | Overall Dimensions | | |
|--|--------------------|-----|-----|
| Product Number | W | D | H |
| TSF01(W)1684 | (W) | 16" | 84" |
| TSF01(W)2284 | (W) | 22" | 84" |
| <ul style="list-style-type: none"> • Scribe between tall cabinet abutting to wall | | | |



Common Features

- Specify width requirement
- Specify required width (W) = 1", 2", 6" etc

Wall Cabinet Closure Panels

| Product Number | Overall Dimensions | | |
|-----------------------|--------------------|-----|-----|
| | W | D | H |
| TSF02(<u>W</u>)1684 | (W) | 16" | 84" |
| TSF02(<u>W</u>)2284 | (W) | 22" | 84" |

- For adjacent tall cabinets



Tall Cabinet End Scribe

| Product Number | Overall Dimensions | | |
|-----------------------|--------------------|-----|-----|
| | W | D | H |
| TSF03(<u>W</u>)1684 | (W) | 16" | 84" |
| TSF03(<u>W</u>)2284 | (W) | 22" | 84" |

- Top panel to cover the opening at inside corners of tall cabinets



Common Features

- Recessed and pass through

Sloping Tops for Wall Mounted and Tall Storage Cabinets

| Product Number | Overall Dimensions | |
|----------------|--------------------|-----|
| | W | D |
| ST1813 | 18" | 13" |
| ST1816 | 18" | 16" |
| ST1822 | 18" | 22" |
| ST2413 | 24" | 13" |
| ST2416 | 24" | 16" |
| ST2422 | 24" | 22" |
| ST3013 | 30" | 13" |
| ST3016 | 30" | 16" |
| ST3022 | 30" | 22" |
| ST3613 | 36" | 13" |
| ST3616 | 36" | 16" |
| ST3622 | 36" | 22" |
| ST4213 | 42" | 13" |
| ST4216 | 42" | 16" |
| ST4222 | 42" | 22" |
| ST4813 | 48" | 13" |
| ST4816 | 48" | 16" |
| ST4822 | 48" | 22" |



